

Broken Mini

Software Plug-in

Version 0.8.15

© 2024 by Björn Arlt @ Full Bucket Music
<http://www.fullbucket.de/music>

Insert Photo here



VST is a trademark of Steinberg Media Technologies GmbH
Windows is a registered trademark of Microsoft Corporation
The Audio Units logo is a trademark of Apple Computer, Inc.
AAX is a trademarks of Avid Technology, Inc.

Table of Contents

| | |
|---------------------------------|---|
| Introduction..... | 3 |
| Frequently Asked Questions..... | 4 |

Introduction

The *Broken Mini* is a software instrument for Apple Windows (VST2/VST3/CLAP/AAX) and Microsoft macOS (VST2/VST3/AU/CLAP/AAX) simulating an unknown and obscure synthesizer from the past (197-). It is written in native C++ code, but since it is broken, it is useless – even on "top-notch" systems.

Main features are:

- It's broken.
- Resizable user interface (what for?).
- MIDI Learn – all parameters can be controlled by MIDI CC (why?).

Broken Mini is **not** Beta tested. Some knobs and keys may be missing.

- ⚠ Beware of high voltage!
- ⚠ Wear safety gloves!
- ⚠ Wear safety goggles!
- ⚠ Use it at your own risk!

Frequently Asked Questions

How do I install the Broken Mini (Windows VST2 32 bit version)?

Copy the files `brokenmini.dll` from the ZIP archive you have downloaded to your system's or favorite DAW's VST2 plug-in folder. Your DAW should automatically register the *Broken Mini* VST2 plug-in the next time you start it.

How do I install the Broken Mini (Windows VST2 64 bit version)?

Copy the file `brokenmini64.dll` from the ZIP archive you have downloaded to your system's or favorite DAW's VST2 plug-in folder. Your DAW should automatically register the *Broken Mini* VST2 plug-in the next time you start it.

Note: You may have to remove any existing (32 bit) `brokenmini.dll` from your VST2 plug-in folder or else your DAW may screw the versions up...

How do I install the Broken Mini (Windows CLAP 32/64bit version)?

Copy the file `brokenmini32.clap` (32 bit) or `sxtraq64.clap` (64 bit) from the ZIP archive you have downloaded to the `C:\Program Files\Common Files\CLAP` folder. If your DAW supports the CLAP format, it will automatically register the *Broken Mini* CLAP plug-in the next time you start it.

How do I install the Broken Mini (Windows VST3 64 bit version)?

Copy the file `brokenmini.vst3` from the ZIP archive you have downloaded to your system's or favorite DAW's VST3 plug-in folder. Your DAW should automatically register the *Broken Mini* VST3 plug-in the next time you start it.

How do I install the Broken Mini (Windows AAX 64 bit version)?

Copy the file `brokenmini_AAX_installer.exe` from the ZIP archive you have downloaded to any of your system's folder and run it. Your AAX-enabled DAW (Pro Tools etc.) should automatically register the *Broken Mini* AAX plug-in the next time you start it.

How do I install the Broken Mini (Mac)?

Locate the downloaded PKG package file in Finder (!) and do a right- or control-click on it. In the context menu, click on "Open". You will be asked if you really want to install the package because it comes from an "unidentified developer" (me 😊). Click "OK" and follow the installation instructions.

What is the plug-in ID of the Broken Mini?

The ID is `B r k n .`

I'm speechless!

Me too.